

Arena



Arena



Body Corpo

Adjustable aluminum spot

Spot in alluminio orientabile

| | | |
|---|--------------------------------|--------------------------------|
| Fastening Fissaggio | With ferrule | Con ghiera |
| Optics Ottica | 20° • 25° • 38° • 45° • 62° | 20° • 25° • 38° • 45° • 62° |
| Wiring set Cavo alimentazione | 2000 mm • 78,74 " | 2000 mm |
| Finishing Finitura | ● Black anodized | ● Anodica nera |

Listings and marks

Certificazioni e marchi



LED

LED




Light Luce

| | | |
|---|--|--|
| Light source Sorgente luminosa | ↓ Series/In serie 1,0 W @ 350mA 1,5 W @ 500mA | ↓ Parallel/In parallelo 1,1 W @ 24 V DC 1,6 W @ 24 V DC |
| CCT K | ● 2700 K ● 3000 K ● 3500 K ● 4000 K ● 5000 K | ● 2700 K ● 3000 K ● 3500 K ● 4000 K ● 5000 K |
| CRI R9 Rf @ 3000 K Rg @ 3000 K MacAdam ellipse | Min 90 Min 80 96 103 2 | Min 90 Min 80 96 103 2 |
| Luminous flux Flusso luminoso ● 3000 K | 101 lm @ 350mA 139 lm @ 500mA | 350 lm |
| Input voltage/current Tensione/Corrente di ingresso | 3 V @ 350mA / @ 500mA | 24 V DC |
| Only external driver Driver solo esterno | - | DC/CC |

Arena

Dimensions Dimensioni

Scale/Scala 1:2



Fastening options Opzioni di fissaggio



Hole size: $\varnothing 13,5 \text{ mm} \cdot \varnothing 0,53 \text{ ''}$
Dimensione foro: $\varnothing 13,5 \text{ mm}$

Maximum thickness: $15,0 \text{ mm} \cdot 0,59 \text{ ''}$
Spessore massimo: $15,0 \text{ mm}$

Order code Codice ordine

| | | |
|----------------------------------|---|---|
| Basic code Codice base | AR | Arena |
| CCT K CCT K | WW27 WW30 NW35 NW CW | <ul style="list-style-type: none"> ● 2700 K ● 3000 K ● 3500 K ● 4000 K ● 5000 K |
| Optics Ottica | 20 25 38 45 62 | <ul style="list-style-type: none"> 20° 25° 38° 45° 62° |
| Accessories Accessori | DRPWM DRDC | <ul style="list-style-type: none"> Converter 24 V DC/ Convertitore 24 V DC Converter 24 V DC Potential different dimmer/ Convertitore 24 V DC Dimmerabile in tensione |

Order example Esempio ordine

- **AR WW27 20 DRPWM**
Arena, Warm White 2700, 20° optics,
Converter 12 V DC - PWM Dimmer
- **AR WW27 20 DRDC**
Arena, Warm White 2700, Ottica 20°,
Convertitore 12 V DC - Dimmerabile PWM

Warnings Avvertenze

The installation of the product, must be done as illustrated in the catalogue or inside the technical data-sheet that can be asked to the manufacturer. An installation performed differently from the one indicated may compromise the durability and characteristics of the product itself.

An installation performed differently from the one indicated may compromise the durability and characteristics of the product.

Unsuitable cross-section / length of the cable can negatively affect the lighting power of the product. If Power supplies, even those with a plastic case, are located in spaces that are too small for their dimensions; they will be subjected to dissipation problems that will compromise their functionality. Silicones or resins subjected to temperature changes and used near the product, if not in accordance with the specifications issued by the manufacturer, they can seriously damage the LED component. The products can not be modified without any authorization by the manufacturer.

L'installazione del prodotto, dovrà eseguirsi come illustrato nel catalogo o nella documentazione tecnica richiedibile al produttore. Un'installazione eseguita diversamente da quella indicata, può compromettere la durata e le caratteristiche del prodotto.

Prima dell'installazione verificare la corretta sezione del cavo collegato tra LED e alimentatore.

Sezione / lunghezza del cavo non congrui, possono alterare in negativo la luminosità del prodotto. Gli alimentatori, anche quelli con contenitore plastico, inseriti in spazi troppo piccoli, saranno soggetti a problemi di dissipazione che comprometteranno la loro funzionalità. Siliconi o resine soggetti a sbalzi di temperature e utilizzati in prossimità del prodotto, se non conformi alle specifiche rilasciate dal produttore possono danneggiare gravemente il componente LED. I prodotti non possono essere modificati senza autorizzazione da parte del produttore.